[10191/1295]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

pplicant(s)

HAHN et al.

Confirmation No.:

1777

Serial No.

09/485,325

Filed

May 22, 2000

For

ELLIPSOMETER MEASUREMENT APPARATUS

Examiner

G. Stock

Group Art Unit

2877

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first lass mail

Customer No.

26646

an envelope addressed to: Niail Stop Ameroment

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Mail Stop Amendment Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

SIR:

Please find an Amendment transmitted herewith for filing in the above-identified patent application. Applicants respectfully request a three-month extension of time in which to respond to the office action dated October 19, 2005, for which a response period expiring on January 19, 2006 was set. The extended period expires on April 19, 2006.

Please charge the \$1,020.00 extension fee and any additional fees required to Deposit Account No. 11-0600. A duplicate copy of this Transmittal is enclosed.

Respectfully submitted,

KENYON & KENYON LLP

B. L) 2 (B. N. 41,172)

By: _ 1 (~~

Gerard A. Messina Reg. No. 35,952

04/19/2006 TBESHAH1 00000008 110600 01 FC:1253 1020.00 DA

One Broadway New York, NY 10004

(212) 425-7200



[10 NEW YORK OFFICE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

HAHN et al.

Confirmation No.:

1777

Serial No.

09/485,325

Filed

May 22, 2000

For

ELLIPSOMETER MEASUREMENT APPARATUS

Examiner

Gordon J. Stock Jr.

Art Unit

2877

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first lass mail

Commissioner for Pateras, P. P. Box 1450, Alexandria, VA 22313, 1450

Customer No.

26646

an envelope addressed to:

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Date: 4/14/06

Signature:__

AMENDMENT

SIR:

In response to the Final Office Action dated October 19, 2005, please amend the above-referenced application as set forth below.

Amendments to the Specification do not appear in this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Amendments to the Drawings do not appear in this paper.

Remarks begin on page 4 of this paper.